Application No.	on No. Applicant(s)	
09/940,363	SAKSA, THOMAS A.	
Examiner	Art Unit	
Amy R. Cohen	2859	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
<u>26/05</u> .		
i,		
3. The drawings filed on 18 November 2002 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
6. ☐ Interview S Paper No. 08), 7. ☒ Examiner's 8. ☒ Examiner's	ummary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allowance	
	D9/940,363 Examiner Amy R. Cohen ears on the cover sheet wince (OR REMAINS) CLOSED in (OR REMAINS) CLOSED in (OR REMAINS) This application is seen and MPEP 1308. 26/05. The Examiner. Inder 35 U.S.C. § 119(a)-(d) of the ebeen received in Application occuments have been received of this communication to file MENT of this application. Initted. Note the attached EXAMINES reason(s) why the oath of the state of the state of the header according to 37 CF (DS) and the header accordin	SAKSA, THOMAS A. Examiner Art Unit

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Scott Lund on July 6, 2005.

The application has been amended as follows:

In the claims:

Claim 1: --the-- has been added before "housing position" in line 4.

Claim 22: --the-- has been added before "housing position" in line 5.

2. The following is an examiner's statement of reasons for allowance:

Claims 1, 2, 4-9, 12, 13, 30, 31, 34: The prior art of record does not disclose or suggest a measurement and marking device wherein the interface includes an input configured for operation by a user to record at least one housing position on the surface in combination with the remaining limitations of the claims.

Claims 22, 23, 27-29, 32, 33, 35: The prior art of record does not disclose or suggest a method comprising locating a first object feature, including receiving user input at the first object feature with an input of an interface mounted on the housing and storing the housing position of the first object feature and printing on the second object surface with a printhead mounted in the housing and communicating with the side of the housing through a second opening when the

Application/Control Number: 09/940,363

Art Unit: 2859

housing position relative to the second object coincides with the housing position at the first

object feature in combination with the remaining limitations of the claims.

Any comments considered necessary by applicant must be submitted no later than the

Page 3

payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance."

3. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Amy R. Cohen whose telephone number is (571) 272-2238. The

examiner can normally be reached on 8 am - 5 pm, M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Diego F. Gutierrez can be reached on (571) 272-2245. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

ARC

July 6, 2005

Christopher Fulton

Primary Examiner

Tech Center 2800